# Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

"TRY CLARKE"



62.03

# W. B. CLARKE



Horticultural Broker

P. O. Box 343

SAN JOSE, CALIFORNIA

Phone S. J. 1776

November 1, 1923

LIST 2305

THIS LIST COVERS STOCK OFFERED BY

#### **CLARKE NURSERY CO.**

SAN JOSE, CALIF.

SEASON 1923-1924

#### PLEASE NOTE

All summer quotations not accepted to date are hereby cancelled. GRADING. Plants that are wider than they are tall are graded by width.

QUANTITIES. Five or more plants of one kind and size will be supplied at 10 rate; 50 or more at 100 rate; 500 or more at 1000 rate.

POTS. Prices on pot grown stock do not include the pots and unless otherwise instructed plants will be removed from pots before shipping. If wanted in the pots they will be charged for at cost.

PACKING. Will be charged for at cost as usual. Plants will be packed to secure lowest possible freight classification consistent with the nature of goods shipped.

SHIPPING. Our responsibility ceases when goods are delivered to transportation company in good order. They travel at buyer's risk. Please state distinctly whether you wish goods shipped by freight or express and where water shipment is possible be sure to specify by water or rail as you may prefer.

STOCK TO GROW ON. This list contains an excellent and extensive assortment of stock to grow on. These items are not listed separately but will be found with the larger sizes throughout the list.

This list covers items of which we now have a fairly good supply. Many other things can be furnished in smaller quantities and quotations will be made on request. So if you want any ornamental stock not listed here write me about it.

This list is for the trade only and all prices are strictly net.

## CONIFERS

Unless otherwise noted all plants in this section will be balled at prices quoted.

	each	10	100
ABIES baborensis (Algerian Fir) 5 to 5½ ft	rate 7.00	rate	rate
4½ to 5 ft	6.00		
cephalonica (Cephalonian Fir), 6½ to 7 ft	9.00 8.00	7.00	
5½ to 6 ft	7.00	6.00	
6 to 6½ ft	6.00	5.50	
4½ to 5 ftcilicica (Cilician Fir), 6 to 6½ ft	5.50 8.00	5.00	
5½ to 6 ft	7.00		
5 to 5½ ft	6.00	5.50	
5 to 5½ ft	$5.50 \\ 5.00$	<b>5.0</b> 0 <b>4.5</b> 0	
3½ to 4 ft	4.50	4.00	
concolor (White Fir), 5 to 5½ ft	8.00		
4 to 41% ft	$\frac{7.00}{6.00}$	5.00	
4 to 4½ ft	4.00	3.50	
firma (Japanese Fir), 6½ to 7 ft	7.00		
lasiocarpa (Alpine Fir), 4½ to 5 ft	7.00		
nobilis (Red Fir), 2 to 2½ ft	2.50		
nordmanniana (Nordmann's Silver Fir),	90.00		
20 in. box, 10 ft	15.00		
5½ to 6 ft	8.50		
4½ to 5 ft	$7.00 \\ 5.00$	4.50	
1 to 1½ ft	1.50	1.25	
pectinata (Silver Fir), 2 to 2½ ft			
pinsapo (Spanish Fir), 18 in. box, 8 ft	20.00		
CEPHALOTAXUS pedunculata fastigiata (Japanese Yew),	1.50	1.25	
CHAMAECYPARIS lawsoniana alumi, 2½ in. pot, 4 in	.30	.25	.20
laws. elegans, 2 to 2½ ft	2.00	1.50	.20
laws. erecta coerulea, 7 ft	7.00		
nootkatensis (Nootka Sound Cypress) ( 8 to 81/2 ft	8.00 6.00		
6½ to 7 ftobtusa nana (Japanese Dwarf Cedar), 10 to 12 in	1.50	1.25	
obtusa nana compacta, 10 to 12 in	1.50	1.25	
pisifera aurea, 2½ to 3 ft	2.50		
2 to 2½ ft	2.00	1.50	
pisifera filifera, 3 to 5 ft	$\substack{1.75\\1.25}$	$\substack{\textbf{1.50} \\ \textbf{1.00}}$	
pisifera plumosa aurea, 10 to 12 in	1.25	1.00	
6 to 10 in	1.00	.75	
CRYPTOMERIA japonica elegans (Japan Redwood), 6 ft 4 in. pot, 6 to 10 in	$\frac{5.00}{.50}$	.40	.30
CUPRESSUS arizonica (Arizona Cypress), 2 to 3 ft	.75	.60	.50
1½ to 2 ft	.60	.50	.40
1 to 1½ ft	$.50 \\ .25$	$.40 \\ .20$	.35 .15
3 in. pot, 3 to 6 inmacrocarpa (Monterey Cypress), 6 to 7 ft., heavy	4.00	3.50	•10
3 to 4 ft	1.25	1.00	.75
2 to 3 ft	1.00	.75	.50
3 in. pot, 4 to 8 in	.25	.20	.15 .50
sempervirens fastigiata (Italian Cypress), 1½ to 2 ft	.75 .50	.60 .40	.35
4 in. pot, 1 to 1½ ft	.40	.30	.25
JUNIPERUS chinensis albo-variegata (Variegated Chinese			
Juniper), 1 to 1½ ft	1.25 .30	1.00 .25	
chinensis fortunei (Fortune's Juniper), 14 in. box, 6 to 7 ft			
chinensis pfitzeriana. 2 to 3 ft.	3.00	2.50	
chinensis pfitzeriana, 2 to 3 ft	1.50	1.25	~~
3 in. pot, 2 to 3 inchinensis procumbens (Chinese Creeping Juniper),	.35	.30	.25
10 to 15 in	1.25	1.00	
4 to 8 in	.60	.50	

	each rate	10 rate	100 rate
chinensis procumbens aurea (Variegated Chinese Creeping Juniper), 6 to 10 in			Tate
Creeping Juniper), 6 to 10 in	1.00	.75	
communis erecta "Irish", 3 to 3½ ft	$\frac{2.50}{1.25}$	$\frac{2.00}{1.00}$	
excelsa stricta (Grecian Juniper), 3 in. pot, 2 to 4 in.	.40	.30	.25
sabina (Savin Juniper), 3 to 4 ft	4.00	3.50	90
$2\frac{1}{2}$ in. pot, 2 to 3 insabina tamariscifolia, 10 to 15 in	$\frac{.30}{1.00}$	.25 .75	.20
squamata, 3 in. pot, 2 in	.40	.30	
virginiana (Virginia Red Cedar), 6 to 8 ft	5.00		
5 to 6 ft	$\frac{4.00}{3.00}$	2.50	
3 to 4 ft		2.00	
virginiana glauca (Blue Virginia Cedar), 8 to 9 ft 6 to 7 ft	$\substack{10.00\\7.00}$		
virginiana kosteriana, 3 to 4 ft		3.50	
2½ to 3 ft	$\frac{3.00}{2.50}$	$\frac{2.50}{2.00}$	
1½ to 2 ft	1.50	1.25	
Wilson's Weeping, 2 to 3 ft	3.00	2.50	
3 in. pot, 2 to 4 in	$\frac{.30}{5.00}$	$\frac{.25}{4.50}$	
6 to 8 ft	4.00	4.00	
18 in. box, 9 to 10 ft	6.00		
PICEA engelmanni (Engelmann's Blue Spruce), 20 in. box, 6 ft	15.00		
excelsa (Norway Spruce), 20 in. box, 10 to 12 ft 20 in. box, 8 to 10 ft			
orientalis (Japanese Spruce), 20 in. box, 11 ft			
20 in. box, 8 ft			
PODOCARPUS macrophylla (Japanese Yew), 2 to 3 ft	2.50	2.00	
RETINISPORA ericoides, 21/2 in. pot, 3 to 4 in	.30	.25	.20
sieboldi, 2 to 2½ ft		1.50	20
2½ in. pot, 2 to 3 in	.30	.25	.20
SCIADOPITYS verticillata (Umbrella Pine), 18 in. box, 11 to 12 ft	20.00		
14 and 18 in. box, 8 to 10 ft	15.00		
SEQUOIA gigantea (California Big Tree)			
16 in. box. 9 to 10 ft	15.00	2.00	
4½ to 5 ft	$3.50 \\ 3.00$	$\frac{3.00}{2.50}$	
gigantea pendula (Weeping Calif. Big Tree),			
8 to 12 in	1.50	1.25	
sempervirens (Redwood), 6 in. pot, 3 to $3\frac{1}{2}$ ft	$\frac{1.00}{.75}$	.75 .50	.40
6 in. pot, 2 to 3 ft	.60	.40	.35
6 in. pot, 1 to 1½ ft	3.50	.35	.30
3 to 4 ft	$\frac{3.50}{2.50}$	$\frac{3.00}{2.00}$	
cuspidata brevifolia, 2½ to 3 ft	1.50	1.25	
baccata; Globes, specimens, 3 ft	5.00		
THUJA (Arbor Vitae), occidentalis argentea, 4½ to 5 ft	5.00	2 7 2	
4 to 4½ ftocc. pumila, 2 to 3 ft	$\substack{4.00\\2.00}$	3.50	
occ. rosenthali, 3 to 3½ ft	3.00		
occ. wareana (Siberian Arbor Vitae), 4 to 5 ft., hvy	3:50	3.00	
orientalis, 10 to 12 in	$\frac{4.00}{.75}$	.50	
bare roots; good grafting stock, 8 to 15 in	.10	.08	.06
\$50 per 1000. 2 in. pot. 6 to 8 in	.25	.15	.10
\$80 per 1000.	.20	.10	.10
orientalis aurea nana (Dwf. Golden Arb. Vitae),	1 00	ne	
8 to 10 in	$\substack{1.00 \\ .75}$	.75 .60	
plicata magnifica, 6 to 7 ft	5.00	8	
4 to 4½ ft	3.00	3.50	
plicata gracilis aurea, 5 to 6 ft	$\frac{3.00}{5.00}$		
4½ to 5 ft	4.00		
THUYOPSIS dolobrata, 3 in. pot, 4 to 6 in	.40	.30	

#### **BROAD LEAVED EVERGREENS**

Unless otherwise noted all plants in this section will be balled at prices quoted.

Onless otherwise noted an plants in this section will be	oaneu	at prices	quotea.
	each	10	100
	rate	rate	rate
ABELIA grandiflora, 1 to 1½ ft	.65	.50	.40
4 in. pot, 8 to 12 in	.50 .35	.40 .30	.35 .25
ACACIA armata (Kangaroo Thorn),	•••		
4 and 5 in, pot, 5 to 6 ft	.75	.60	.50
4 and 5 in. pot. 4 to 5 ft	.60	.50	.40
4 in. pot, 3 to 4 ft	.50	.40 .30	.35
4 in. pot, 2 to 3 ft	.40	.25	.25 .20
flats	•••	.20	.05
baileyana,4, 5 and 6 in. pot, 2 to 3 ft	.60	.50	.40
4 and 5 in. pot, $1\frac{1}{2}$ to 2 ft	.40	.35	.30
flats			.06
cultriformis, 4 in. pot, 2 to 3 ft	.50	.40	.30
4 in. pot, 1½ to 2 ft	.40 .30	.30 .25	.25 $.20$
flats	.00	.20	.05
cyanophylla (Blue Leaved Wattle) 5 in. pot, 8 to 10 ft	1.00	.75	.60
4 in. pot, 6 to 8 ft	.75	.60	.50
4 in. pot, 4 to 5 ft	.60	.50	.40
dealbata (mollissima) (Silver Wattle),			
4 and 5 in. pot, 4 to 5 ft	.75	.60	.50
5 in. pot, 3 to 4 ft	.50 .40	.40 .35	.35 .30
4 in. pot, 1½ to 2 ft	.35	.30	.25
4 in. pot, $1\frac{1}{2}$ to 2 ft	.30	.25	.20
flats			.05
farnesiana (Popinac; Huisache), 4 in. pot, 6 to 12 in	.40	.30	
latifolia (longifolia), (Sydney Golden Wattle),			
4 in. pot, 3 to 4 ft	.50	.40	.30
4 in. pot, 2 to 3 ft	.40	.30 .25	.25 .20
latifolia Standards, 10 in. pot, 5½ to 7 ft. stem		1.50	.20
7 in. pot, 5 ft. stem	1.50	1.25	
melanoxylon (Black Acacia), 5 in, pot. 4 to 5 ft	.60	.50	.40
4 and 5 in, pot, 3 to 4 ft	.50	.40	.35
4 and 5 in. pot. 2½ to 3 it	.40	.35	.30
4 in. pot, 1½ to 2 ft	.30	.25	.20 .08
flats, 2 to 3 ft			.05
		.60	.50
neriifolia (floribunda), 4 in. pot, 5 to 6 ft	.60	.50	.40
4 in. pot, 2 to 3 ft	.30	.25	.20
pruinosa, 4 in. pot, 1 to $1\frac{1}{2}$ ft	.30	.25	
pycnantha (Broad-Leaved Wattle), 4 in. pot, 3 to 4 ft	.60	.50	
4 in. pot, 2 to 3 ft	.50	.40	.30
verticillata (Whorl-Leaved Acacia), 4 in. pot, 5 to 6 ft	.75	.60	.50
4 in. pot, 4 to 5 ft	.60	.50	.40
ALECTRYON excelsum (New Zealand Oak), 5 in. pot, 2 to 3 ft	.75	.60	
	.75	.60	
ARBUTUS menziesi (Madrone), 5 in. pot, 8 to 12 in	.50	.40	.30
4 in. pot, 3 to 6 in		.30	.25
$2\frac{1}{2}$ and 3 in. pot, 2 to 4 in	.30	.25	.20
ARCTOSTAPHYLOS uva-ursi (Creeping Manzanita),			
4 in. pot, 6 to 12 in	.35	.30	
BERBERIS darwini, 4 in. pot, 6 to 10 in	.40	.30	.25
2 and 2½ in. pot, 2 to 4 in	.12	.10	.08
\$75 per 1000. knighti, 1½ to 2 ft	1.00	.75	
1 to 1½ ft	.75	.50	
3 in. pot, 8 to 15 in	.30	.25	.20
pruinosa, 4 in. pot, 1 to 2 ft	.35	.30	
stenophylla, 2 to 3 ft	1.00	.75	.60
3 in. pot, 4 to 8 in	.25	.20	.15
viridis, 4 in. pot, 1 to 2 ft	.35	.30	
wilsonae ("subcaulialata"), 3 to 3½ ft	1.50	1.25	
2 to 3 ft	1.00	.75	**
1½ to 2 ft	.75	.60	.50
1 to 1½ ft	.60 .30	.50 .25	.40
4 in. pot, 1 to 1½ ft	.25	.20	.15
O *11. Pool O *0 *# *******************************			

	each	10	100
	rate	rate	rate
BUDDLEIA (Butterfly Bush), asiatica, 4 in. pot, 3 to 4 ft.	.60	.50	0.5
davidi superba, 5 in. pot, 3 to 4 ft	.50 .50	.40 .40	.35 .30
BUDDLEIA (Butterfly Bush), asiatica, 4 in. pot, 3 to 4 ft. davidi superba, 5 in. pot, 3 to 4 ft. davidi veitchiana, 5 in. pot, 3 to 4 ft. farquhari (new), 5 in. pot, 3 to 4 ft.	.75	.60	.50
BUXUS sempervirens (Boxwood)  Pyramids, 1½ to 2 ft	1.50	1.25	
Cubes, 30 in. high, 28x28 in	8.50		
14 in. box, 24x24x24 in	8.00 .35	.30	.25
8 to 12 in	.25	.20	.15
\$125 per 1000. 6 to 8 in	.20	.12	.10
\$80 per 1000. 4 to 6 in	.15	.10	.06
\$50 per 1000. flats			.05
CALLISTEMON (Bottle Brush), coccineus,			
2½ in. pot, 6 to 12 in	.20	.15	.10
melange (mixed), $2\frac{1}{2}$ in. pot, 6 to 12 in	.20	.15	.10
phoenicius, 2½ in. pot, 6 to 12 in	.20	.15	.10
rigidus, 4 and 5 in. pot, 1 to 1½ ft	.40	.30	.25 .20
4 in. pot, 10 to 15 in	$.30 \\ .15$	$\begin{array}{c} .25 \\ .12 \end{array}$	.08
flats, 6 to 12 in	•20		.05
CAMPHORA officinalis (Camphor Tree), 5 in. pot, 1½ to 2 ft	.50	.40	
CASSIA tomentosa, 4 in. pot, 6 to 8 ft	.50	.40	.30
CASUARINA stricta (She Oak; Beefwood)		*10	
5 in. pot, 3 to 3½ ft	.50	.40	.30
5 in. pot, 2 to 3 ft	.40	.30	.25
CEANOTHUS (Wild Lilac), arboreus,			<b>F</b> 0
cuttings, 5 in. pot, 2 to 3 ftseedlings, 4 in. pot, 3 to 4 ft	.75 .75	.60 .60	.50 .50
seedlings, 4 in. pot, 2 to 3 ft	.60	.50	.40
arboreus hybridus, 4 in. pot, 3 to 4 ft	.75	.60	.50
4 in. pot, 2 to 3 ft	.60	.50	.40
2½ in. pot, 1 to 2 ftcyaneus (new; deep blue), 4 in. pot, 3 to 4 ft	.35 1.00	.25 .75	.20
3 in. pot, 8 to 15 in	.40	.30	.25
divaricatus, 4 in. pot, $1\frac{1}{2}$ to 2 ft	.40	.30	.25
oliganthus, 4 in. pot, 2 to 3 ft	.50	.40	.30
	.20	.15	.10
spinosus, 4 in. pot, 2 to 3 ft	$\begin{array}{c} .50 \\ .20 \end{array}$	.40	.30 .12
thyrsiflorus, 4 in. pot, 2 to 3 ft	.50	.40	.30
verrucosus, 4 in. pot, $1\frac{1}{2}$ to 2 ft	.40	.30	.25
CERATONIA siliqua (Carob), 5 in. pot, 1½ to 2 ft	.40	.30	.25
CISTUS albidus (Pink Rock Rose), 4 in. pot, 6 to 10 in	.25	.20	.18
ladaniferus maculatus (Spotted Rock Rose),	0.5	0.5	00
3 in. pot, 6 to 8 in	.35	.25 .60	.20
CITRUS Dwarf Chinese Lemon, 5 in. pot, 1 to 1½ ft COPROSMA baueri (Looking Glass Plant),	.75		
5 in. pot, 2 to 2½ ft	.50	.40	.35 .30
5 in. pot, 1½ to 2 ft	.40	.35 .40	.00
CORONILLA glauca, 5 in. pot, 2 to 3 ft		•40	
at heights shown. They make very attractive novelties.)	1 50		
applanata (dielsiana), 3 to $3\frac{1}{2}$ ft	$\substack{\textbf{1.50}\\\textbf{.40}}$	.30	.25
francheti 1 to 116 ft	.50	.40	.35
4 in. pot, 1 to 1½ ft	.40	.30	.25
3 in, pot, 1 to 1½ ft	.30	$.25 \\ .20$	.20 .15
3 in. pot, 8 to 12 in	$\substack{.25\\.20}$	.15	.12
frigida, 1½ to 2 ft	.60	.50	.40
horizontalis, 3 to 4 ft	1.50	1.25	
2 to 3 ft	1.25	1.00	
1 to 1½ ft	.75 .60	.60 .50	.50 .40
4 in. pot, 1½ to 2 ft	.75	.60	.50
4 in. pot, 1½ to 2 ft	.50	.40	.35
4 in. pot, 8 to 12 in	$.40 \\ .25$	.30 $.20$	.25 .15
Standards, 5 in. pot, 2 ft. stem	1.00	.75	0

	each rate	10 rate	100 rate
microphylla, $1\frac{1}{2}$ to 2 ft	.75	.60	
10 to 15 in	.50	.40	.35
6 to 10 in	.40 .60	.35 .50	.30
5 in. pot, 1½ to 2 ft	.25	.20	.15
Standards, 5 in. pot, 2½ ft. stem Standards, 5 in. pot, 2 ft. stem	1.00	.75	
	.85	.65	
microphylla thymifolia, 4 in. pot, 8 to 12 in	$\frac{.40}{1.00}$	.35	
Standards, 5 in. pot, $2\frac{1}{2}$ ft. stem	.75	.60	
pannosa, 4 in. pot, 1 to 1½ ft	.50	.40	.35
2½ in. pot, 2 to 3 in	.20	.15	.10
\$80 per 1000.  pyrenaica (new), Standards, 4 and 5 in. pot, 1 ft.			
stem	1.00	.75	.60
rugosa henryi, Standards, 5 in. pot, 1½ ft. stem	1.00	.75	
Standards, 4 in. pot, 1 ft. stem	.75	.60	
salicifolia flocosa, Standards, 6 in. pot, 4½ ft. stem	1.75	1.50	
Standards, 5 in. pot, 3 ft. stem Standards, 5 in. pot, 1½ to 2 ft. stem	$\substack{1.25\\1.00}$	$\frac{1.00}{.75}$	
schneideri (new, red berries), 3 in. pot, 3 to 6 in	.25	.20	.15
Standards, 5 in. pot, 2 ft. stem	1.00	.75	****
simonsi (acuminata), 4 to 6 ft., heavy	2.00	1.75	
1 to 1½ ft	.50	.40	0.5
4 in. pot, $1\frac{1}{2}$ to 2 ft	.40	.30	.25
CYTISUS (Broom), canariensis, 3 in. pot, 3 to 4 ft	.50	.40	.35
3 in. pot, 2 to 3 ft	.40	.35	.30
multiflorus (white), 3 in. pot, 6 to 12 in	.25	.20	.15
racemosus (cuttings, pinched) (Genista racemosa), 5 in. pot, 8 to 10 in	.60	.50	.40
4 in. pot, 6 to 8 in	.50	.40	.30
4 in. pot, 4 to 6 in	.40	.30	.25
racemosus (seedlings), 3 in. pot, 2 to 3 ft	.50	.40	.30
scoparius andreanus (seedlings), 3 in. pot, 1 to $1\frac{1}{2}$ ft	.40	.35	
stenopetalus, 4 in. pot, 4 to 5 ft	$.50 \\ .35$	$.40 \\ .25$	.30
3 in. pot, 3 to 4 ft	.25	.20	.20
ESCALLONIA montevidensis, 5 in. pot, 2 to 3 ft	.60	.50	
rosea, 4 in. pot, 1½ to 2 ft	.40	.30	.25
rubra, 3 to 3½ ft	2.00	1.50	*20
2 to 2½ ft	1.00	.75	
4 in. pot, 8 to 12 in	.35	.25	.20
sanguinea, 3 to 4 ft	1.50	1.25	1.00
4 in. pot, 1 to 1½ ft	.35	.25	.20
EUCALYPTUS globulus (Blue Gum), 4 in. pot, 3 to 4 ftleucoxylon rosea, 4 and 5 in. pot, 3 to 4 ft	$.50 \\ .75$	.40 $.60$	.50
EUOMYMUS jap microphylla (pulchella),			
3 in. pot, 3 to 4 in	.25	.20	.15
jap. mic. argentea-variegata, 3 in. pot, 3 to 4 in	.30	.25	.20
jap. aureo-marginatus, 4 in. pot, 8 to 12 in	.30	.25	
FEIJOA sellowiana (Pineapple Guava),			
5 and 6 in. pot, 4 to 5 ft	.75	.60	
GENISTA (Broom) (see also Cytisus), monosperma, 3 in. pot, 1 to 1½ ft	.50	.40	
praecox (yellow), 5 in. pot, 1 to 1½ ft	.50	.40	
elatior (new), 3 in. pot, 6 to 8 in	.25	.20	.15
GREVILLEA robusta (Silk Oak), 3 in. pct, 6 to 10 in	.25	.20	.15
HAKEA pugioniformis, 4 in. pot, 2 to 3 ft	.50	.40	.30
4 in. pot, 1 to 2 ft	.40	.30	.25
saligna, 4 in. pot, $1\frac{1}{2}$ to 2 ft	.40	.30	
HYPERICUM (Gold Flower), moserianum,			
4 in. pot, 6 to 12 in	.35 $.25$	$.30 \\ .20$	.15
3 in. pot, 4 to 10 in	.40	.30	.25
patulum henryi, 4 in. pot, 1½ to 2 ft	****	.00	
ILEX aquifolium (Holly) ("Dutch" or Self-fertile type), 7 to 7½ ft	8.50		
6½ to 7 ft	7.50	0.00	
6 to 6½ ft	$\substack{6.50 \\ 6.00}$	$\frac{6.00}{5.50}$	
5 to 5½ ft	5.50	5.00	
·-			

	each rate	10 rate	100 rate
seedlings (English), 3 in. pot, 2 to 4 in	.25	.20	.15
2½ in. pot, 1 to 2 in	.20	.15	.10
Van Tol, 5 to 6 ft	$\frac{5.00}{4.00}$	$\frac{4.00}{3.50}$	
vomitoria, 3 to 4 ft	.75		
LEONOTIS leonurus (Lion's Tail), 4 in. pot, 3 to 4 ft	.50	.40	
LEPTOSPERMUM laevigatum, 5 in. pot, 5 to 6 ft	.75	.60	
4 in. pot, 2 to 3 ft	.50	.40	.35
3 in. pot, 1 to 1½ ft	.30 .20	$.25 \\ .15$	$.20 \\ .10$
LEUCOTHOE catesbaei (Lily of the Valley Shrub), 8 in. pot, 1 to 2 ft	1.25	1.00	
LIGUSTRUM (Privet). ovalifolium (2 thickness privet), 4 to 5 ft., bare roots	.50	.40	10
1 to 2 ft., bare rootsovalifolium aureo-marginatum (Golden Privet),	.25	.15	.10
2½ to 3 ft., balled	.75	.60	
2½ to 3 ft., balled	.50	.40	.20
ovalif. pictus argentea, 4 to 5 ft., balled	$\substack{.30 \\ 2.00}$	.25	.20
LONICERA nitida (Box Honeysuckle), 1½ to 2 ft	.60	.50	.40
1 to 1½ ft	.50	.40	.35
3 in. pot, 1 to 1½ ft	.30	.25	.20 .10
nitida (Pyramids), 3 to 4 ft	2.00	1.50	***
MAGNOLIA grandiflora, 16 in. box, 8 to 10 ft	7.00		
4 in. pot, 6 to 8 in	.35	.30	.25
MAHONIA aquifolium (Oregon Grape), 1 to 2 ft	.75	.60	.50
6 to 12 injaponica (Japanese Mahonia), 2 to 2½ ft	$\frac{.60}{1.25}$	1.00	.40
1½ to 2 ft	1.00	.75	.60
1 to 1½ ft	.75 $.60$	.60 .50	.50 .40
MELALEUCA ericifolia, 5 in. pot, 5 to 6 ft	$.60 \\ .25$	.50 .20	.40 .15
2½ in. pot, 1 to 2 ft. hypericifolia, 2½ in. pot, 1 to 1½ ft flats, 6 to 10 in	.25	.20	.15
MYRICA cerifera (Wax Myrtle), 3 to 4 ft	1.00		
MYRTUS communis (English Myrtle), 10 to 15 in	.40	.30	
$9\frac{1}{6}$ in not 3 to 6 in	.20	.15	.12
communis microphylla (Small Lvd. Myrtle), 4 and 5 in. pot, 10 to 15 in	.40	.35	
2½ in. pot, 5 to 8 inluma (Black Myrtle), 1½ to 2 ft	$\substack{.20 \\ .40}$	.15 $.35$	.12
luma (Black Myrtle), 1½ to 2 ft	.30	.25	.20
NANDINA domestica, 4 in. pot, 8 to 12 in	.60	.50	.40
3 in. pot, 6 to 8 in PHILLYREA decora, 2 to 3 ft	.40 $.75$	.35	.30
PHOTINIA arbutifolia (Toyon; Xmas Berry, Calif. Holly).	.10		
4 in. pot, 15 to 18 in	.60	.50	.40
4 in. pot, 12 to 15 in	.50 $.40$	.40 .35	.35 .30
4 in. pot, 6 to 8 in		.30	.25
glabra, 1 to $1\frac{1}{2}$ ft	.60	.50	.40
PIMELEA decussata, 4 in. pot, 3 to 4 in	.50	.40	.35
PITTOSPORUM eugenioides, 4 in. pot, 10 to 15 in	.30	$.25 \\ .20$	.20
\$125 per 1000.	.25	.20	.15
phillyraeoides, 6 in. pot, 3 to 4 ft	.75	c o	.05
tenuifolium (nigricans), 6 to 8 ft., heavy	4.00	.60	
4 in. pot, 2 to 2½ ft	.40	- 30	.25
tenuifolium (nigricans), 6 to 8 ft., heavy	$.30 \\ .25$	$.25 \\ .20$	$.20 \\ .15$
tobira (Japanese Pittosporum), 2 to 3 it., heavy	1.25	1.00	
4 in. pot, 8 to 15 in	.40	.30	9.0
4 in. not. 1 to 1½ ft	$.40 \\ .35$	.35 $.30$	$.30 \\ .25$
lusitanica (Portugal Laurel), 2½ to 3 ftlyoni (Catalina Cherry), 4 in. pot, 6 to 12 in	2.00	1.50	
3 in. pot, 6 to 8 in	$.30 \\ .25$	$.25 \\ .20$	$.20 \\ .15$
PSIDIUM cattleianum (Strawberry Guava).			
4 in. pot, 1 to 1½ ft	$.50 \\ .30$	$^{.40}_{.25}$	.20
2 AM POU, O tO 12 III	.50	.40	.40

DVD 1 G 1 VDV 1 (F	each rate	10 rate	100 rate
PYRACANTHA (Evergreen Hawthorn), angustifolia, 2 to 3 ft	1.25	1.00	.75
$1\frac{1}{2}$ to 2 ft	1.00	.75	.60
3 and 4 in. pot, 2 to 3 ft	.50	.40	.30
3 in. pot, 6 to 8 in	.30 $.25$	$\substack{.25\\.20}$	$.20 \\ .15$
coccinea (lalandi seedlings), 1½ to 2 ft	.75	.60	.50
1 to 1½ ft	.60	.50	.40
4 in. pot, 1½ to 2 ft	.40	.35	.30
coccinea lalandi (cttgs), 3 in. pot, 12 to 15 in	.30 $.25$	$\substack{.25\\.20}$	.20 $.15$
crenulata, 2 to 3 ft	1.00	.75	.65
4 in. pot, 1 to 1½ ft	.40	.30	.25
3 in. pot, 8 to 15 in\$125 per 1000.	.25	.20	.15
cr. kansuensis (new), 4 in. pot, 6 to 12 in	.75	.60	
formosana (new), $1\frac{1}{2}$ to 2 ft	$\frac{.50}{1.25}$	1.00	.75
3 in. pot, 6 to 8 in	.30	.25	.10
yunnanensis, 5 in. pot, 2 to 3 ft	.60	.50	.40
4 in. pot, 1½ to 2 ft	.50 $.25$	$\begin{array}{c} .40 \\ .20 \end{array}$	.30 .15
	.60		*10
QUERCUS agrifolia (Live Oak), 6 in. pot, 2 to 3 ft	.50	.50 .40	
RAPHIOLEPIS indica, 5 in. pot, 1½ to 2 ft	.50	.40	
ovata, $1\frac{1}{2}$ ft. heavy	.75 $.40$	.60	.50
4 in. pot, 1 to 1½ ft	.35	.35 $.25$	$.30 \\ .20$
3 in. pot, 3 to 4 in	.25	.20	.15
RHAMNUS californica (Calif. Wild Coffee),			
3 in. pot, 1 to 1½ ft	.30 $.25$	.25 $.20$	$.20 \\ .15$
RHUS laurina, 5 in. pot, 2 to 3 ft	.60	.50	*10
			75
SCHINUS molle (Pepper Tree), 5 in. pot, 6 to 7 ft	$\substack{1.00 \\ .85}$	.85 .70	.75 .60
6 in. pot, 4 to 5 ft	.75	.60	.50
4 in. pot, 4 to 5 ft	.60	.50	.40
SPARTIUM junceum (Spanish Broom), 4 in. pot, 4 to 5 ft. 3 in. pot, 3 to 4 ft	.50 $.40$	.35 $.30$	.30 .20
junceum nanum, 4 in. pot, 8 to 15 in	.60	.50	.40
STERCULIA diversifolia (Bottle Tree), 10 in. pot, 5 to 6 ft.	.75	.60	
7 in. pot, 3 to 4 ft	$.50 \\ .40$	$.40 \\ .30$	
7 in. pot, 1 to 1½ ft	.30	.20	
STRANVAESIA undulata (rare), 4 and 5 in. pot, 1 to 2 ft.	.75	.60	
TAMARIX articulata (Evergreen Tamarisk), 3 to 4 ft.,			
balled2 to 3 ft. balled	$\frac{1.00}{.75}$	.75 .60	
UMBELLULARIA californica (Calif. Laurel),	*10	****	
4 in. pot, 6 to 12 in	.40	.30	.25
VERONICA buxifolia, 2 in. pot, 2 to 4 in	.15	.10	.08
chathamica, 3 in. pot, 6 to 10 in	.25	.20	.15
cupressoides, 2 to $2\frac{1}{2}$ ft	1.50	1.25	•00
12 to 15 in	.75	.60	.50
3 in. pot, 6 to 8 indecumbens, flats, 6 to 10 in	.25	.20	.15 .05
decussata, 3 in. pot, 4 to 8 in	.25	.20	.15
hulkeana, 1 to 1½ ftimperialis, 4 in. pot, 6 to 8 in	.60 $.30$	.50 .25	.40
nimelioides, 3 in, not, 3 to 6 in	.25	.20	.15
2 in. pot, 3 to 6 in	1.00	.15 .75	.10
pinguifolia, $1\frac{1}{2}$ to 2 ft. wide	.75	.60	
3 in. pot. 4 to 8 in	.25	.20	.15 .05
flats, 6 to 8 intraversi, 3 to 4 ft., heavy	2.50	2.00	.00
. 10 to 12 in	.60	.50	.40
VIBURNUM odoratissimum, 1 to 1½ fttinus (Laurustinus), 3 in. pot, 6 to 10 in	.75	$.60 \\ .25$	.50
tinus lucidum (grandiflora). 3 in. not. 4 to 6 in	.30 .30	.25	.20 .20
tinus lucidum (grandiflora), 3 in. pot, 4 to 6 inrhytidophyllum, 10 in. pot, 4 to 6 ft4 in. pot, 6 to 10 in	3.00		
4 in. pot, 6 to 10 in	$.50 \\ .30$	$.40 \\ .25$	.30 .20
p	. • •		

### FLOWERING FRUIT TREES

All plants in this section will be dug with bare roots.

All plants in this section will be dug with ba	re roo	ots.	
FLOWERING ALMONDS	each rate	10 rate	100 rate
Dwarf double pink, 2 to 3 ft	.60	.50	
AMYGDALUS triloba (single), 11/2 to 2 ft	.50	.40	
8 to 15 intriloba fl. pl. (double), 2 to 3 ft	.30 .60	.25 .50	
	.00	.00	
FLOWERING APPLES			
MALUS ioensis bechteli (Bechtel's Double Pink Flowering			
Crah Apple). 2 to 3 ft	1.00	.85	.75
1½ to 2 ftneidzwitzkyana, 8 to 10 ft., heavy	.75 1.25	.60	.50
6 to 9 ft	1.00	.85	
4 to 6 ft	.85	.75	
parkmanni, 4 to 6 ftscheideckeri, 8 to 10 ft., heavy	1.50	.75	
6 to 8 ft	1.25	1.00	.75 ·
4 to 6 ft	1.00	.75	
seiboldi, 8 to 10 ft., heavyspectabilis, 6 to 8 ft	1.25	1.00	.75
4 to 6 ft	1.00	.75	.60
Large flesh pink, 4 to 6 ft	1.00	.75 .50	.60 .40
4 to 6 ft	.50	.40	.30
FLOWERING APRICOTS			
PRUNUS Mume "Dawn", 6 to 8 ft	1.50	1.25	
3 to 4 ft	1.00	.75	
2 to 3 ft	.75 .50	.60 .40	
Double Pink, early, 2 to 3 ft	.60	.40	
Single White, very early, 6 to 8 ft	1.25	E 5	
4 to 6 ft	.75	.75 .60	
FLOWERING CHERRIES	****		
Advance bookings have been so heavy that both assorts	ment	and stock	are lim-
ited and size mainly small.	memo	and stock	arc
FUGENZO (J. H. Veitch). Flowers very large, deep pink very double, petals ruffled. See cut in Bailey's Cyclopedia of Horticulture at page 2832.			
1 to 1½ ft	1.25	1.00	
KURAMAYAMA. Flowers semi-double, white with pink edge, very pretty. 1 to 2 ft	1.00	.75	
MIKURU-MAKAISI. Flowers double, pale rose. 1 to 2 ft.	1.25	1.00	
MIKURU-MAKAISI. Flowers double, pale rose. 1 to 2 ft.  NADEN. Flower very large, double and very deep pink.  One of the best. 1 to 2 ft	1.25	1.00	
OJOCHIN. Flowers delicate lavender nink, single, large on		1.00	
short stems. I to 2 ft	1.00	.75	
rich rose colored flowers. One of the handsomest.			
1 00 4 10	1.40	1.00	
SERRULATA HOMOGENA. Has not bloomed yet and no description available. 2 to 3 ft	1.50	1.25	
SHIROFUGEN (Victory; Albo-roseo). A splendid variety.  Flowers very large, very double and said to be pink		1.20	
Flowers very large, very double and said to be pink			
turning white, but with us bears both white and pink flowers. 1 to 2 ft	1.25	1.00	
SHOGETSU. Flowers pale pink, double and very large	2		
SHOGETSU. Flowers pale pink, double and very large, on long stems. A rather late bloomer and one of the best. 1½ to 2 ft	1.50	1.25	
TAIZANFUKUN. Flowers pink, medium size and double.	. 1.00	1.20	
Foliage very distinct and attractive.		1.50	
3 to 4 ft	$\frac{2.00}{1.50}$	1.50 1.25	
1 to 2 ft	1.25	1.00	
JAPANESE WEEPING. An old favorite but always rare Top grafted on straight stems it makes a beautiful object at any time and particularly in Spring when covered with its profusion of single pink flowers.	l		
Top grafted on 4 ft. stems	2.00	1.50	
FLOWERING PEACHES			
4 to 6 ft	1.00	.75 .60	.60 .50
3 to 4 ft			.40
Double Pink Burbank (Dbl.	Pink)		
Double Red Camelliaflora ( Double White Clara Meyer (I	Dbl. D	ked) ink)	
Early Red	, NI. I	***** )	
0			

	a a a b	10	100
	each rate	$^{10}_{ m rate}$	100 rate
FLOWERING PLUMS			
PRUNUS pissardi veitchi (double pink), 6 to 8 ft	$\frac{1.25}{1.00}$	$\substack{1.00\\.75}$	
3 to 4 ft	.75	.60	
1 to 2 ft	.60 $.40$	.50 .35	
pissardi (single), 3 to 4 ft	.60 $.50$	.50 .40	
1 to 2 ft	.40	.30	
vesuvius, 1 to 2 ft	.40	.35	
DECIDUOUS TRE	LES		
All plants in this section will be dug with ba	re roots	S.	
	each rate	10 rate	100 rate
ACER platanoides (Norway Maple), 12 to 14 ft	2.00	1.50	Tate
8 to 10 ft	$\frac{1.25}{1.00}$	$\substack{1.00\\.75}$	
4 to 6 ft	.75	.60	
platanoides schwedleri (Purple Leaved Maple) 6 to 8 ft dasycarpum (Silver Maple), 3 to 4 ft	$\substack{1.25\\.50}$	$egin{array}{c} 1.00 \ .40 \end{array}$	.35
2 to 3 ft	.40	.30	.25
AESCULUS californica (Calif. Buckeye), 4 to 6 ftALBIZZIA julibrissin (Pink Flg. Acacia), 3 to 4 ft	.75 .50	.40	
2 to 3 ftBETULA alba youngi, 4 to 6 ft	1.00	$.30 \\ .85$	
3 to 4 ft	.85	.75	
papyrifera (Paper or Canoe Birch), 8 to 10 ft	$1.50 \\ 1.25$	$\substack{1.25\\1.00}$	.75
CERCIS japonica (Judas Tree), 6 to 8 ft	1.00	.75	
CRATAEGUS (Hawthorn), Double Pink, 2 to 3 ft	.75 .60	.60 .50	
1 to 2 ft	.40	.35	40
Double Scarlet, 2 to 3 ft	1.00	.50 .75	.40
3 to 4 ft	.75	.65 .50	
carrieri, 3 to 4 ft	.85	.75	
2 to 3 ft	$.70 \\ .50$	.60 $.40$	
FRAXINUS americana (American White Ash), 14 to 16 ft.	1.75	1.50	
GINKGO biloba (Maiden Hair Tree), 8 to 9 ft	$\frac{2.00}{1.50}$	$1.75 \\ 1.25$	
6 to 7 ft	1.25	1.00	
5 to 6 ft	$\frac{1.00}{.75}$	.75 $.60$	
3 to 4 ft	.60	.50 .40	
1 to 2 ft	.40	.30	
LABURNUM vossi( new, long clustered), (Golden Chain) 2 to 3 ft	1.25	1.00	
1 to 2 ft	1.00	.75	
vulgare, 6 to 8 ft	$\substack{1.00 \\ .75}$	.75 $.60$	.60 .50
3 to 4 ft	.60	.50	
2 to 3 ftLIQUIDAMBAR styraciflua (Sweet Gum), 3 to 3½ ft	.50 $.75$	.40	
1 to 1½ ft	.40	.30	
LIRIODENDRON tulipifera, 6 to 8 ft	$\frac{1.00}{.60}$	.75 $.50$	
MORUS tatarica pendula (Tea's Weeping Mulberry), 7 ft. stems	1.50	1.25	1.00
PAULOWNIA imperialis (Empress Tree), 12 to 14 ft PLATANUS racemosa (California Sycamore), 6 to 8 ft	1.75	1.50	1.00
PLATANUS racemosa (California Sycamore), 6 to 8 ft POPULUS nigra italica (Lombardy Poplar), 6 to 8 ft	$\frac{1.00}{1.00}$	.85 .75	.60
4 to 6 ft	.75	.60	.50
simonsi fastigiata (new), 8 to 10 ft 6 to 8 ft	$\substack{1.25\\1.00}$	$\substack{1.00 \\ .75}$	.65
4 to 6 ft	.75	.60	.50
ROBINIA 3 to 4 ft	.50	.40	.35
pseudacacia decaisneana (Pink Locust), 10 to 12 ft  8 to 10 ft	$\frac{1.75}{1.50}$	$\substack{1.50\\1.25}$	$\frac{1.25}{1.00}$
6 to 8 ft	1.25	1.00	.75
SALIX babylonica (Common Weeping Willow), 4 to 6 ft	.60 $.50$	.50 $.40$	.40
vitelling sures (Gold Bark Willow), 2 to 3 ft	.40	.30	.25
TILIA americana (American Linden), 12 to 14 ft	$\frac{2.00}{1.50}$	$\substack{1.50\\1.25}$	1.00
4 to 6 ft	.75	.60	
ULMUS camperdowni (Weeping Elm), top grafted, extra heavy	3.50		
top grafted, 2 yr. heads	2.50	2.00	
10			0

#### **DECIDUOUS SHRUBS**

Unless otherwise noted all plants in this section will be dug with bare roots. each BERBERIS dictyophylla, 3 to 3½ ft...
thunbergi (Thunberg's Barberry), 1 to 2 ft...
CARYOPTERIS incana (Blue Spirea), 1½ to 2 ft...
CORYLUS avellana (Hazel Nut), 10 to 12 ft...
CYDONIA japonica (Jap. Flowering Quince), 3 to 4 ft...
2 to 2½ ft....
1 to 2 ft...

DEUTZIA, gracilis, 8 to 12 in...
Pride of Rochester, 4 to 6 ft...
2 to 3 ft...
1½ to 2 ft...
1 to 1½ ft...
scabra candidissima, 4 to 5 ft...
2 to 3 ft...
3 ft...
2 to 3 ft...
2 to 3 ft...
3 ft...
2 to 3 ft...
3 ft...
3 ft...
3 ft...
3 ft...
4 ft...
5 cabra crenata, 4 to 6 ft...
5 ft...
5 cabra crenata, 4 to 6 ft...
5 ft.. rate rate rate .75 .60 .35 .30 .35 .40 .50 1.50 1.00 .50 .40 .25 .30 .75 .60 .40 .30 .20 .25 .20 .15 .60 .40 .30 .25 .60 .50 .40 2 to 3 ft..... .30 .25 .40 .75 .60 .30 .50.40 .35 .25 .50 .40 .40 .30 .60 .50 .60 .50 .30 .30 .25 .20 .50 .40 .30 .40 .75.60 .50 .40 .60 .60 .60 .50 .40 .50 .40 .25 .20 .60 .50 .40 .60 .30 .50 .40 .25 .20 .40 .30 .40 .30 .25 .25 .20 .35 .50 .50 .40 .30 .25 .20 .30 .40 .30 .25 .30 .40 .20 .25 .15.75 .60 .50 .40 .50 .40 .30 .25 .20 .30 .25 1.25 1.50 .50 .60 .50 .40 .30 .25.40 .35 kinds, etc. 1.00 .75 .60 .60 .75 1.25 .60 .50 .50 .40 .25 .40 .30 .30 .25

#### **CLIMBERS**

	each rate	10 rate	100 rate
AMPELOPSIS quinquefolia (Virginia Creeper),	0.5		
5 in. pot, 3 yr	.35	.30	
tricuspidata veitchi, 3 in. pot, 2 yr	.35	.30	
CHORIZEMA ilicifolia, 4 in. pot, 6 to 8 in	.40	.35	
CLEMATIS montana, 4 in. pot, 1 to 1½ ft montana rubens, 4 in. pot, 10 to 12 in	.30 .40	.25 .30	$\begin{array}{c} .20 \\ .25 \end{array}$
EUONYMUS radicans acutus (new), 3 in. pot, 1 to 2 ft	.30	.25	.20
radicans vegetus, 4 and 3 in. pot, 1 to 2 ft	.30	.25	.20
radicans U. S. D. A., 3 in. pot, 1 to 1½ ft	.30	.25	.20
GELSEMIUM sempervirens (Yellow Jasmine), 4 in. pot, 2 to 3 ft	.40	.30	
HARDENBERGIA comptoniana (blue), 3 in. pot, 1 to 2 ft	.30	.25	.20
comptoniana bimaculata (blue), 4 in. pot, 1 to 2 ft	.40	.30	.25
monophylla (pink), 5 in. pot, 3 to 4 ft	.75	.60	.20
4 in. pot, 2 to 3 ft	.60	.50	.40
3 in. pot, 1 to 2 ft	.30	.25	.20
monophylla alba (white), 5 in. pot, 3 to 4 ft	.60	.50	.40
3 in. pot, 1 to 2 ft	.30	.25	.20
monophylla lilacina (lilac), 3 in. pot, 6 to 8 in	.25	.20	.15
HEDERA helix (English Ivy), 4 in. pot, 3 to 4 ft	.35	.30	.25
3 in. pot, 2 to 3 ft	.25	.20	.15
JASMINUM beesianum (Single Pink Jasmine), 4 in. pot, 3 to 4 ft	.50	40	20
3 in. pot, 1 to 2 ft	.25	$.40 \\ .20$	.30 .15
primulinum (Double Yellow Jasmine),			***
5 in. pot, 3 to 4 ft	.50	.40	.30
3 in. pot, 1 to 1½ ft	.25	.20	.15
LONICERA (Honeysuckle), japonica halliana,			
4 in. pot, 3 to 4 ft	.40 .25	.30 .20	.25 .15
japonica aureo-reticulata, 3 in. pot, 1½ to 2 ft	.25	.20	.15
Scarlet Trumpet, 4 in. pot, 1½ to 2 ft	.40	.25	*10
POLYGONUM auberti, 5 in. pot, 3 to 4 ft	.50	.40	
RHYNCOSPERMUM jasminoides (Star Jasmine), 3 in. pot, 4 to 8 in	.25	.20	
SOLANUM jasminoides (Potato Vine), 5 in. pot, 2 to 3 ft	.40	.35	
3 in. pot, 1½ to 2 ft	.25	.20	.15
SOLLYA heterophylla (Australian Blue Bell),			
4 in. pot, 1 to 2 ft	.35	.30	0.0
3 in. pot, 1 to 2 ft	.30	.25	.20
TECOMA australis, 5 in. pot, 3 to 4 ft	.50	.40	15
3 in. pot, 8 to 15 in	.25	.20	.15
WISTERIA. All sold.			

#### **ROSES**

I think it is safe to say that I am offering the greatest assortment of novelties in this country and a very complete line of the usual varieties as well. Roses will be offered in separate lists. Write any time for list corrected down to date. I handle both budded and own root stock and my connections with growers enable me to supply anything if it is obtainable at all.